

SEQUENCE LISTING

<110> F. Hoffmann-la Roche AG
 <120> Use of Acid-Stable Subtilisin Proteases in Animal Feed
 <130> 6092.204-wo
 <140> DK 2000 00200
 <141> 2000-02-08
 <160> 7
 <170> PatentIn version 3.0
 <210> 1
 <211> 27
 <212> PRT
 <213> Acremonium chrysogenum ATCC 48272
 <400> 1

Ala Leu Val Thr Gln Asn Gly Ala Pro Trp Gly Leu Gly Thr Ile Ser
 1 5 10 15

His Arg Gln Pro Gly Ser Thr Ser Tyr Ile Tyr
 20 25

<210> 2
 <211> 17
 <212> PRT
 <213> Bacillus alcalophilus NCIMB 10438
 <400> 2

Asn Gln Val Thr Pro Trp Gly Ile Thr Arg Val Gln Ala Pro Thr Ala
 1 5 10 15

Trp

<210> 3
 <211> 17
 <212> PRT
 <213> Paecilomyces lilacinus CBS 102449
 <400> 3

Ala Tyr Thr Gln Gln Pro Gly Ala Pro Trp Gly Leu Gly Arg Ile Ser
 1 5 10 15

His

<210> 4
 <211> 25
 <212> PRT
 <213> Fusarium oxysporum IFO 4471
 <400> 4

Ala Leu Thr Thr Gln Ser Gly Ala Thr Trp Gly Leu Gly Thr Val Ser
 1 5 10 15

His Arg Ser Arg Gly Ser
 20

<210> 5
 <211> 397
 <212> PRT
 <213> Bacillus sp. NCIMB 40484
 <220>

[illegible]

Met	Lys	Phe	Lys	Lys	Ile	Ala	Ala	Leu	Ser	Leu	Ala	Thr	Ser	Leu	Ala	
	-25						-20								-15	
Leu	Phe	Pro	Ala	Phe	Gly	Gly	Ser	Ser	Leu	Ala	Lys	Glu	Ala	Pro	Lys	
	-10					-5				-1	1				5	
Pro	Phe	Gln	Pro	Ile	Asn	Lys	Thr	Leu	Asp	Lys	Gly	Ala	Phe	Glu	Ser	
				10					15					20		
Gly	Glu	Val	Ile	Val	Lys	Phe	Lys	Asp	Gly	Val	Ser	Lys	Lys	Ala	Gln	
			25					30					35			
Gly	Ser	Ala	Leu	Asn	Lys	Ala	Glu	Ala	Asn	Glu	Gln	Lys	Ala	Ser	Ala	
		40					45					50				
Lys	Asp	Pro	Phe	Gln	Val	Leu	Glu	Val	Ala	Asp	Val	Asp	Gln	Ala	Val	
	55					60					65					
Lys	Ala	Leu	Glu	Asn	Asn	Pro	Asn	Val	Glu	Tyr	Ala	Glu	Pro	Asn	Tyr	
	70				75					80					85	
Thr	Phe	Gln	Ala	Thr	Trp	Ser	Pro	Asn	Asp	Pro	Tyr	Tyr	Ser	Ala	Tyr	
				90					95					100		
Gln	Tyr	Gly	Pro	Gln	Asn	Thr	Ser	Thr	Pro	Ala	Ala	Trp	Asp	Val	Thr	
			105					110					115			
Arg	Gly	Ser	Ser	Thr	Gln	Thr	Val	Ala	Val	Leu	Asp	Ser	Gly	Val	Asp	
		120					125					130				
Tyr	Asn	His	Pro	Asp	Leu	Ala	Arg	Lys	Val	Ile	Lys	Gly	Tyr	Asp	Phe	
	135					140					145					
Ile	Asp	Arg	Asp	Asn	Asn	Pro	Met	Asp	Leu	Asn	Gly	His	Gly	Thr	His	
	150				155					160					165	
Val	Ala	Gly	Thr	Val	Ala	Ala	Asp	Thr	Asn	Asn	Gly	Ile	Gly	Val	Ala	
				170					175					180		
Gly	Met	Ala	Pro	Asp	Thr	Lys	Ile	Leu	Ala	Val	Arg	Val	Leu	Asp	Ala	
			185					190					195			
Asn	Gly	Ser	Gly	Ser	Leu	Asp	Ser	Ile	Ala	Ser	Gly	Ile	Arg	Tyr	Ala	
		200					205					210				
Ala	Asp	Gln	Gly	Ala	Lys	Val	Leu	Asn	Leu	Ser	Leu	Gly	Cys	Glu	Cys	
	215					220					225					
Asn	Ser	Thr	Thr	Leu	Lys	Ser	Ala	Val	Asp	Tyr	Ala	Trp	Asn	Lys	Gly	
	230				235					240					245	

Ala 130	Ser	His	Pro	Glu	Phe	Glu 135	Gly	Arg	Ala	Ser	Gln 140	Ile	Lys	Ser	Phe
Ile 145	Ser	Gly	Gln	Asn	Thr 150	Asp	Gly	Asn	Gly	His 155	Gly	Thr	His	Cys	Ala 160
Gly	Thr	Ile	Gly	Ser 165	Lys	Thr	Tyr	Gly	Val 170	Ala	Lys	Lys	Thr	Lys 175	Ile
Tyr	Gly	Val	Lys 180	Val	Leu	Asp	Asn 185	Ser	Gly	Ser	Gly	Ser	Tyr 190	Ser	Gly
Ile	Ile	Ser 195	Gly	Met	Asp	Phe	Ala 200	Val	Gln	Asp	Ser 205	Lys	Ser	Arg	Ser
Cys	Pro 210	Lys	Gly	Val	Val	Ala 215	Asn	Met	Ser	Leu	Gly 220	Gly	Gly	Lys	Ala
Gln 225	Ser	Val	Asn	Asp	Gly 230	Ala	Ala	Ala	Met	Ile 235	Arg	Ala	Gly	Val	Phe 240
Leu	Ala	Val	Ala 245	Ala	Gly	Asn	Asp	Asn	Ala 250	Asn	Ala	Ala	Asn	Tyr 255	Ser
Pro	Ala	Ser	Glu 260	Pro	Thr	Val	Cys 265	Thr	Val	Gly	Ala	Thr	Thr 270	Ser	Ser
Asp	Ala 275	Arg	Ser	Ser	Phe	Ser	Asn 280	Tyr	Gly	Asn	Leu 285	Val	Asp	Ile	Phe
Ala	Pro 290	Gly	Ser	Asn	Ile	Leu 295	Ser	Thr	Trp	Ile	Gly 300	Gly	Thr	Thr	Asn
Thr 305	Ile	Ser	Gly	Thr	Ser 310	Met	Ala	Thr	Pro	His 315	Ile	Val	Gly	Leu	Gly 320
Ala	Tyr	Leu	Ala 325	Gly	Leu	Glu	Gly	Phe	Pro 330	Gly	Ala	Gln	Ala	Leu 335	Cys
Lys	Arg	Ile	Gln 340	Thr	Leu	Ser	Thr	Lys 345	Asn	Val	Leu	Thr	Gly 350	Ile	Pro
Ser	Gly 355	Thr	Val	Asn	Tyr	Leu	Ala 360	Phe	Asn	Gly	Asn 365	Pro	Ser	Gly	

```
<210> 7
<211> 269
<212> PRT
<213> Bacillus sp. THS-1001
<400> 7
```


7. The animal feed additive of claim 6, wherein the amount of the protease corresponds to an intended addition of 0.01-200 mg protease protein per kg feed.

5

8. The animal feed additive of any one of claims 6-7, which further comprises phytase, xylanase, galactanase, and/or beta-glucanase.

10 9. An animal feed composition having a crude protein content of 50-800 g/kg and comprising at least one acid-stable protease, wherein the protease

(i) is of the subtilisin family; and/or

(ii) has less than 10% residual activity when inhibited
15 with SSI.

10. The animal feed composition of claim 9, wherein the amount of the protease is 0.01-200 mg protease protein per kg feed.

20

11. A method for the treatment of vegetable proteins, comprising the step of adding at least one acid-stable protease to at least one vegetable protein or protein source, wherein the protease

25 (i) is of the subtilisin family; and/or

(ii) has less than 10% residual activity when inhibited
with SSI.

12. The method of claim 11, wherein soybean is included
30 amongst the at least one vegetable protein source.